

m MONOPRICE
C A T A L O G

**STANDING OVATION
NOT NECESSARY.**



2025 - 2026

SIGNATURE SOUND

In its pursuit of precise, immersive, and room-enhancing audio, Monoprice channels engineering expertise and innovation into every in-wall speaker design. From everyday installations to high-performance home theaters, each model is crafted to deliver clarity, depth, and balance. Whether installed in walls or ceilings, all Monoprice in-wall speakers share the same commitment to exceptional sound reproduction and discreet integration. Engineered with premium components—such as carbon fiber woofers and ribbon or silk-dome tweeters—they bring out the richness of mids, sparkle of highs, and fullness of bass with remarkable accuracy. The result is a signature Monoprice sound: refined, powerful, and harmoniously matched across the range, elevating the acoustic character of any space.





HOME CINEMA



LIVING ROOM



BEDROOM



KITCHEN



RESTAURANT



PUBLIC PLACES



BATHROOM



OUTDOOR

MONOLITH SERIES



INWALL SPEAKERS

For Living Room & Dedicated Home Cinema

MONOLITH SERIES

Monolith by
Monoprice THX265IW
THX Certified
Select 2-Way In-Wall
Speaker



Woofer - Drivers 2x 6.5" long fiber pulp cones with FEA optimized nitrile butadiene rubber (NBR) surrounds and aluminum shorting rings - Tweeter Driver 1x 1" silk dome tweeter with Neodymium magnet and copper shorting ring

Monolith by
Monoprice THX275IW
THX Certified
Select 3-Way In-Wall
Speaker



Woofer Driver - 6.5" Long Fiber Pulp Cone with NBR Surround - Midrange Driver - 50mm Silk Dome - Tweeter Driver 25mm Silk Dome with Neodymium Magnet - Sensitivity - 87.6dB (2.83V/1m) - Cutout Dimensions (HxW) 15.55" x 10.12" (395 x 257 mm)

Monolith by
Monoprice THX365IW
THX Certified
Ultra 3-Way In-Wall
Speaker



Woofer Drivers - 2x 6.5" long fiber pulp cones with FEA optimized nitrile butadiene rubber surrounds and aluminum shorting rings - 1x 2" silk dome midrange with Neodymium magnet and aluminum shorting ring

Monolith by
Monoprice THX-LCR
THX Certified Ultra 3-
Way LCR In-Wall
Speaker



Woofer Drivers - 2x 6.5" long fiber pulp cones with FEA optimized nitrile butadiene rubber (NBR) surrounds and aluminum shorting rings - Midrange Driver 1x 2" silk dome midrange with Neodymium magnet and aluminum shorting ring

Monolith by
Monoprice M-IWSUB8
8 Inch In-Wall
Subwoofer



Woofer Driver - 8" Polypropylene Cone with Rubber Surround - Sensitivity - 91dB (2.83V@1m) - Dimensions 11.69" x 13.11" x 3.83" (297 x 333 x 92.2mm)

MONOLITH SERIES

Monolith by
Monoprice MIWSUB82
Dual 8in InWall
Subwoofer



Woofer Drivers - 2x 8" polypropylene cones with rubber surrounds - Sensitivity - 91dB (2.83V@1m) - Cutout Dimensions - 10.82" x 20.43" (275 x 519 mm)

Monolith by
Monoprice M-OW1
THX Certified On-Wall
Speaker (Pair)



Woofer Driver - 4.5" polypropylene cone with NBR surround - Tweeter Driver- 20mm silk dome coaxial with waveguide and neodymium magnet - Passive Radiators 2x 4.5" polypropylene cone with NBR surround

Monolith by
Monoprice M-OW3
THX Certified
LCR/Soundbar On
Wall Speaker (Each)

Woofer Drivers - 3x 4.5" polypropylene cones with NBR Surrounds - Tweeter Drivers - 3x 20mm Silk Dome Coaxials with Waveguides and Neodymium Magnets - Passive Radiators - 6x 4.5" polypropylene cones with NBR Surrounds



Monolith by
Monoprice THX465IW
THX Certified
Ultra 3-Way In-Wall
Speaker



Woofer Drivers - 4x 6.5" long fiber pulp cones with NBR surrounds - Midrange Driver - 1x 50mm silk dome - Tweeter Driver 1x 25mm silk dome with neodymium magnet - Sensitivity - 88.0dB (2.83V/1m)

AMBER SERIES



INWALL SPEAKERS

For Living Room & Dedicated Home Cinema

AMBER SERIES

Monoprice Amber
InWall Speaker
(Each)



Woofer : 6.5" Carbon Fiber Woofer - Mid-Range - 6.5"
Carbon Fiber Woofer - Tweeter - 4.5" x 3.1" (115 x 80
mm) Ribbon Tweeter - Sensitivity - 89dB - Cutout
Dimensions 6.69" x 17.72" (170 x 450 mm)

Monoprice Amber
InWall Speaker Center
Channel (Each)



Dual 5.25" In-Wall Center - Woofer - 5.25" Carbon Fiber
w/ 15.4 oz. Magnet and Rubber Surround - Midrange
Speaker 3" Carbon Fiber - Tweeter - 4.5" x 3.1" (115 x
80 mm) - Sensitivity - 86dB - Cut-Out Dimensions - 9.37"
x 14.14" (238 x 359 mm)

Monoprice Amber
InWall Speakers 8-Inch
(Pair)



8" In-Wall - Woofer - 8" Carbon Fiber w/ 30 oz. Magnet
and Rubber Surround - Tweeter - 4.5" x 3.1" (115 x 80
mm) - Sensitivity - 89dB - Cut-Out Dimensions - 8.80" x
12.82" (224 x 326 mm)

Monoprice Amber
InWall Speakers 6.5-Inch
(Pair)



6.5" In-Wall - Woofer - 6.5" Carbon Fiber w/ 16.5 oz.
Magnet and Rubber Surround - Tweeter - 4.5" x 3.1"
(115 x 80 mm) - Sensitivity - 88dB - Cut-Out Dimensions -
7.34" x 10.73" (186 x 273 mm)

ALPHA SERIES



8-inch Carbon Fiber

2-Way In-Wall Speaker



with Magnetic Grill

Life is too short for speakers that don't sound great!

IN WALL & IN CEILING SPEAKERS

For Living Room & Dedicated Home Cinema

ALPHA SERIES

Monoprice Alpha
InWall Speakers 6.5 Inch
Carbon Fiber 3-Way
(Pair)



Woofer - 6.5" Carbon Fiber Cone - Mid-range - 3.5"
Carbon Fiber Cone - Tweeter - 1" Silk Dome - Sensitivity -
89dB - Cutout Dimensions 10.84" x 7.34" x 3.38" (275 x
186 x 86 mm)

Monoprice Alpha
InWall Speakers 8 Inch
Carbon Fiber 2-way
(Pair)



Woofer - 8" Carbon Fiber Cone With
Rubber Surround - Tweeter - 1" silk and
Aluminum Dome - Sensitivity
(2.83V) - 90dB - Cutout
Dimensions - 12.73 x 8.70" x
3.74" (323 x 221 x 95 mm)

Monoprice Alpha
InWall Speaker Center
Channel Dual 5.25
Inch Carbon Fiber 2-
way (Single)



Woofer - Two 5.25" Carbon Fiber Cone - Tweeter - 0.75"
Silk and Aluminum Dome - Sensitivity (2.83V) - 88dB -
Cutout Dimensions - 13.31" x 5.98" x 2.76" (338 x 152 x
70 mm)

Monoprice Alpha
InWall Speaker 10in
Carbon Fiber 300W
Subwoofer (Each)



Driver - 10" Carbon Fiber Cone - Power Handling
Capacity (Peak) - 300 Watts - Sensitivity - 88dB - Cut-out
Dimensions 10.99" x 10.99"

CALIBER SERIES

Caliber In-Wall Speakers 8 Inch Fiber 2-Way

Complete line of high quality, high value, and highly rated installed speakers.



IN WALL & IN CEILING SPEAKERS

For Living Room & Dedicated Home Cinema

CALIBER SERIES

Caliber 8 Inch Fiber
InWall Speakers - 3 Way
(Pair)



Woofer - 8" Woven Aramid Fiber Cone w/ 30 oz.
Magnet & Rubber Surround - Tweeter - 1" Pivoting
Titanium Silk Membrane Dome (25° Swivel) - Sensitivity -
89dB \pm 2dB (1.0m/2.83V) - Cut-Out Dimensions - 12.72"
x 8.66" (323 x 220 mm)

Caliber In-Wall
Speakers 6.5 Inch
Fiber 2-Way (Pair)



Woofer - 6.5" Woven Aramid Fiber Cone with 16.5 oz.
Magnet and Rubber Surround - Tweeter - 1" Pivoting
Titanium Silk Membrane Dome (25° Swivel) - Sensitivity -
88dB \pm 2dB (1.0m/2.83V) - Cut-Out Dimensions - 10.67"
x 7.28" (271 x 185 mm)

Caliber In-Wall LCR -
Dual 5.25 Inches
(Single)



Woofer - 2x 5.25" Woven Aramid Fiber Cones with 10
oz. Magnets and Rubber Surrounds - Tweeter - 1"
Pivoting Titanium Silk Membrane Dome (25° Swivel) -
Sensitivity - 89dB \pm 2dB (1.0m/2.83V) - Cut-Out
Dimensions - 12.72" x 8.66" (323 x 220 mm)

Caliber In-Wall
Subwoofer - 10 Inch
Fiber- 300W - (Each)



Speaker Type - Passive subwoofer - Driver Size - 10" -
Maximum Input Power (Peak) - 300 Watts - Sensitivity -
88dB - Cutout Dimensions - 10.57" x 10.57" - Mounting
Depth - 3.6"

IN CIELING SPEAKERS



CALIBER SERIES

Monoprice Caliber
InCeiling Speakers, 6.5
Inch (Pair)



6.5" Woven Aramid Fiber Cone w/ 16.5 oz. Magnet & Rubber Surround - 0.75" Pivoting Titanium Silk Membrane Dome (20° Swivel) - Sensitivity - 88dB \pm 2dB (1.0m/2.83V)

Monoprice Caliber
Ceiling Speakers 6.5
Inch (Pair)



6.5" Woven Aramid Fiber Cone with 22 oz. Magnet and Rubber Surround - 5.25" Polypropylene + Mica Cone - 0.75" Titanium Silk Membrane Dome - Sensitivity - 89dB \pm 2dB (1.0m/2.83V)

Monoprice Caliber
InCeiling Speakers 8
Inch (Pair)



Woofer Drivers - 2x 6.5" long fiber pulp cones with FEA optimized nitrile butadiene rubber surrounds and aluminum shorting rings - 1x 2" silk dome midrange with Neodymium magnet and aluminum shorting ring

ARIA SERIES

Monoprice Aria
InCeiling Speakers, 6.5
Inch (Pair)



6.5" Glass Composite Woofer with 13.3oz Magnet and Rubber Surrounds - Tweeter - Dual 1" Silk Membrane Dome (Pivoting) 20° Swivel - Sensitivity -85dB \pm 2dB (1.0m/2.83V) - Cut-Out Dimensions - 8.07" x 4.56" (205 x 116 mm)

AMBER SERIES

Monoprice Amber
Ceiling Speakers 6.5-
Inch (Pair)



6.5" Carbon Fiber w/ 22 oz. Magnet & Rubber Surround - Tweeter - 1" x 1" - Sensitivity - 88dB - Cut-Out Dimensions - 8.66" (220 mm)

ALPHA SERIES

Monoprice Alpha
Ceiling Speaker Dual
5.25 Inch (Single)



2x 5.25" Carbon Fiber Cones - 1" Silk & Aluminum
Dome - Sensitivity (2.83V)- 88dB - Cutout
Dimensions 13.77" x 9.75" x 5.83" (350 x 248 x 148 mm)

Monoprice Alpha
Ceiling Speakers 8
Inch (Pair)



8" Carbon Fiber Cone - 1" Silk & Aluminum Dome -
Sensitivity (2.83V)- 90dB - Cutout Dimensions 10.67" x
10.67" x 3.78" (271 x 271 x 96 mm)

Monoprice Alpha
In Ceiling Speakers 8 In
(Pair)



8" Carbon Fiber Cone - 1" Silk Dome - Sensitivity : 89dB -
Cutout Dimensions : 10.43" x 5.63" (265 x 143 mm)

INDOOR/OUTDOOR SPEAKER

Monoprice WS-7B-42-
B 4in. Weatherproof 2-
Way 70V/8-ohm
(Single)



Woofer Size - 4" - Woofer Cone
Material Polypropylene - Tweeter Size - 0.5" - Tweeter
Material - Mylar dome - Sensitivity 88dB - IP
Rating IP65

Monoprice WS-7B-62-
B 6.5in. Weatherproof
2-Way 70V/8-ohm
(Single)



Woofer Size - 6.5" - Woofer Cone
Material Polypropylene - Tweeter Material - Silk Dome -
Sensitivity - 90dB - IP Rating - IP65

Home Theater Speakers Systems

Monoprice Premium
5.1-Channel Home
Theater System



The four satellite and the single center speakers each use a 3" polypropylene mid-range driver and a 3/4" aluminum dome tweeter - The subwoofer is a 12.6" cube and weighs about 20 lbs.

Subwoofers

Monoprice 12 Inch -
Powered Subwoofer



Speaker Type -12" High Performance Powered
Subwoofer - Driver - 12" Reinforced - Amplifier Power
Output 150 Watts RMS, 200 Watts Peak